

Revision date 30-Oct-2025

Revision Number 2

## 1. Identification

### Product identifier

**Product Name** PTC

### Other means of identification

**Product Code(s)** 652616

**UN number or ID number** UN3077

**Synonyms** None

### Recommended use of the chemical and restrictions on use

**Recommended use** Lubricant and sealant used for threaded connections

**Restrictions on use** Do not use on oxygen lines or in oxygen enriched atmospheres.

### Details of the supplier of the safety data sheet

#### **Supplier Address**

Bestolife Corporation  
2126 Vanco Drive  
Irving TX 75061  
855-243-9164/972-865-8961  
Telefax 214-631-3047  
www.bestolife.com

#### **Manufacturer Address**

Bestolife Corporation  
2126 Vanco Drive  
Irving TX 75061  
855-243-9164/972-865-8961  
Telefax 214-631-3047  
www.bestolife.com

### Emergency telephone number

**Emergency Telephone** For chemical emergency call CHEMTREC Day & Night: +1 703-527-3887

## 2. Hazard(s) identification

### Classification

Skin sensitization	Category 1
--------------------	------------

**Appearance** Viscous semi-solid

**Physical state** Solid

**Odor** Petroleum

### Label elements

### **Warning**

### **Hazard statements**

May cause an allergic skin reaction

**Precautionary Statements - Prevention**

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves, protective clothing, eye protection and face protection

**Precautionary Statements - Response**

IF exposed or concerned: Get medical advice/attention

Specific treatment (see supplemental first aid instructions on this label)

**Skin**

IF ON SKIN: Wash with plenty of water and soap

If skin irritation or rash occurs: Get medical advice and attention

Take off contaminated clothing and wash it before reuse

**Precautionary Statements - Storage**

Store locked up

**Precautionary Statements - Disposal**

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable

**Other information**

May be harmful in contact with skin. Harmful to aquatic life.

### 3. Composition/information on ingredients

**Substance**

Not applicable.

**Mixture**

Chemical name	CAS No.	Weight-%	Hazardous Material Information Review Act registry number (HMIRA registry #)	Date HMIRA filed and date exemption granted (if applicable)
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	>= 50 - < 70	-	-
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	>= 30 - < 50	-	-
Graphite	7782-42-5	>= 10 - < 20	-	-
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony	15991-76-1	>= 1 - < 5	-	-
Talc	14807-96-6	>= 1 - < 5	-	-
Antimony, dialkyl dithiocarbamate	15890-25-2	>= 1 - < 5	-	-

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**Additional information**

NOTE: As per Note L, the carcinogen classification does NOT apply to this preparation because the producer of "Petroleum distillates, hydrotreated heavy naphthenic" declares that it contains less than 3% DMSO extractable material by IP-346

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard

## 4. First-aid measures

### Description of first aid measures

<b>General advice</b>	Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get medical advice/attention.
<b>Inhalation</b>	Remove to fresh air.
<b>Eye contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin contact</b>	Wash with soap and water. May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see a physician.
<b>Ingestion</b>	Rinse mouth.
<b>Self-protection of the first aider</b>	Avoid contact with skin, eyes or clothing. Wear personal protective clothing (see section 8).

### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	Itching. Rashes. Hives.
-----------------	-------------------------

### Indication of any immediate medical attention and special treatment needed

<b>Note to physicians</b>	May cause sensitization in susceptible persons. Treat symptomatically.
---------------------------	--

## 5. Fire-fighting measures

<b>Suitable Extinguishing Media</b>	Dry chemical, CO <sub>2</sub> , water spray or alcohol-resistant foam.
<b>Large Fire</b>	CAUTION: Use of water spray when fighting fire may be inefficient.
<b>Unsuitable extinguishing media</b>	Do not scatter spilled material with high pressure water streams.
<b>Specific hazards arising from the chemical</b>	Product is or contains a sensitizer. May cause sensitization by skin contact.
<b>Explosion data</b>	
<b>Sensitivity to mechanical impact</b>	None.
<b>Sensitivity to static discharge</b>	None.
<b>Special protective equipment and precautions for fire-fighters</b>	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
<b>Other information</b>	Refer to protective measures listed in Sections 7 and 8.

### Methods and material for containment and cleaning up

<b>Methods for containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust.

## 7. Handling and storage

### Precautions for safe handling

<b>Advice on safe handling</b>	Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.
--------------------------------	--

### Conditions for safe storage, including any incompatibilities

<b>Storage Conditions</b>	Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. Keep in properly labeled containers. Store in accordance with the particular national regulations.
---------------------------	--

## 8. Exposure controls/personal protection

### Control Parameters

#### Exposure Limits

Chemical name	ACGIH TLV	OSHA PEL	NIOSH
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter excluding metal working fluids, highly & severely refined Exposure by all routes should be carefully controlled to levels as low as possible	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	TWA: 5 mg/m <sup>3</sup> inhalable particulate matter excluding metal working fluids, highly & severely refined Exposure by all routes should be carefully controlled to levels as low as possible	TWA: 5 mg/m <sup>3</sup> (vacated) TWA: 5 mg/m <sup>3</sup>	IDLH: 2500 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup> respirable particulate matter all forms except graphite fibers	TWA: 15 mg/m <sup>3</sup> total dust synthetic TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf respirable dust natural (vacated) TWA: 2.5 mg/m <sup>3</sup> respirable dust natural (vacated) TWA: 10 mg/m <sup>3</sup> total dust synthetic (vacated) TWA: 5 mg/m <sup>3</sup> respirable fraction synthetic TWA: 15 mppcf natural	IDLH: 1250 mg/m <sup>3</sup> TWA: 2.5 mg/m <sup>3</sup> natural respirable dust
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony 15991-76-1	TWA: 0.5 mg/m <sup>3</sup> Sb	TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 0.5 mg/m <sup>3</sup> Sb	IDLH: 50 mg/m <sup>3</sup> Sb TWA: 0.5 mg/m <sup>3</sup> Sb

Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup> respirable particulate matter particulate matter containing no Asbestos and <1% Crystalline silica	TWA: 20 mppcf if 1% Quartz or more, use Quartz limit (vacated) TWA: 2 mg/m <sup>3</sup> respirable dust <1% Crystalline silica, containing no Asbestos TWA: 20 mppcf if 1% Quartz or more, use Quartz limit	IDLH: 1000 mg/m <sup>3</sup> TWA: 2 mg/m <sup>3</sup> containing no Asbestos and <1% Quartz respirable dust	
Antimony, dialkyl dithiocarbamate 15890-25-2	TWA: 0.5 mg/m <sup>3</sup> Sb	TWA: 0.5 mg/m <sup>3</sup> Sb (vacated) TWA: 0.5 mg/m <sup>3</sup> Sb	IDLH: 50 mg/m <sup>3</sup> Sb TWA: 0.5 mg/m <sup>3</sup> Sb	
Chemical name	Alberta	British Columbia	Ontario	Quebec
Distillates (petroleum), hydrotreated heavy paraffinic 64742-54-7	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA:	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 0.2 mg/m <sup>3</sup> TWA: 1 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> TWA:	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>
Graphite 7782-42-5	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony 15991-76-1	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
Talc 14807-96-6	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>
Antimony, dialkyl dithiocarbamate 15890-25-2	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>

**Other information**

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard

**Appropriate engineering controls****Engineering controls**

Showers  
Eyewash stations  
Ventilation systems.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Wear safety glasses with side shields (or goggles).

**Hand protection**

PPE16 - Wear chemically resistant gloves (tested to EN 374) in combination with 'basic' employee training; Nitrile or neoprene preferred.

REMARKS: Inspect gloves before use. Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier information). Change gloves often! For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Remove gloves with care avoiding skin contamination. Wash hands before breaks and at the end of workday. Wear suitable gloves.

Gloves			
Duration of contact	PPE - Glove material	Glove thickness	Break through time
n/a	Wear protective nitrile rubber	0.50 - 0.70 mm	> 60 minutes

n/a	gloves Wear protective Neoprene™ gloves	0.50 - 0.70 mm	> 60 minutes
-----	--	----------------	--------------

**Skin and body protection** Wear suitable protective clothing.

**Respiratory protection** No protective equipment is needed under normal use conditions. If exposure limits are exceeded or irritation is experienced, ventilation and evacuation may be required.

**General hygiene considerations** Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Wear suitable gloves and eye/face protection.

## 9. Physical and chemical properties

### Information on basic physical and chemical properties

<b>Appearance</b>	Viscous semi-solid
<b>Physical state</b>	Solid
<b>Color</b>	black
<b>Odor (includes odor threshold)</b>	Petroleum

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
<b>Melting point / freezing point</b>	No data available	None known
<b>Boiling point (or initial boiling point or boiling range)</b>	No data available	None known
<b>Flammability</b>	No data available	None known
<b>Flammability Limit in Air</b>		None known
<b>Upper flammability or explosive limits</b>	No data available	
<b>Lower flammability or explosive limits</b>	No data available	
<b>Flash point</b>	>= 200 °C / 392 °F	Method ASTM D 92, Cleveland open cup Distillates (petroleum), hydrotreated heavy naphthenic
<b>Autoignition temperature</b>	No data available	None known
<b>Decomposition temperature</b>	No data available	None known
<b>SADT (°C)</b>	No data available	None known
<b>pH</b>	No data available	None known
<b>pH (as aqueous solution)</b>	No data available	None known
<b>Kinematic viscosity</b>	No data available	None known
<b>Dynamic viscosity</b>		None known
<b>Solubility</b>		None known
<b>Water solubility</b>	Negligible	None known
<b>Partition coefficient n-octanol/water (log value)</b>		None known
<b>Vapor pressure (includes evaporation rate)</b>		None known
<b>Evaporation rate</b>		None known
<b>Density and/or relative density</b>	1.1	None known
<b>Bulk density</b>		
<b>Liquid Density</b>		
<b>Relative vapor density</b>	No data available	None known
<b>Particle characteristics</b>		No information available
<b>Particle Size</b>		
<b>Particle Size Distribution</b>		

### Other information

## 10. Stability and reactivity

<b>Reactivity</b>	Not classified as a reactivity hazard.
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	Can react with strong oxidizing agents.
<b>Conditions to avoid</b>	None known based on information supplied.
<b>Incompatible materials</b>	Strong oxidizing agents.
<b>Hazardous decomposition products</b>	None known based on information supplied.

## 11. Toxicological information

### Information on likely routes of exposure

#### Product Information

<b>Inhalation</b>	Specific test data for the substance or mixture is not available.
<b>Eye contact</b>	Specific test data for the substance or mixture is not available.
<b>Skin contact</b>	May cause sensitization by skin contact. Specific test data for the substance or mixture is not available. Repeated or prolonged skin contact may cause allergic reactions with susceptible persons. (based on components). May be harmful in contact with skin.
<b>Ingestion</b>	Specific test data for the substance or mixture is not available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Symptoms</b>	Itching. Rashes. Hives.
<b>Acute toxicity</b>	No information available.

### Numerical measures of toxicity

The following ATE values have been calculated for the mixture

ATEmix (oral)	2,989.70 mg/kg
ATEmix (dermal)	2,915.30 mg/kg

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Distillates (petroleum), hydrotreated heavy paraffinic CAS: 64742-54-7 ID: C64742547 >= 50 - < 70 %	> 15 g/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Distillates (petroleum), hydrotreated heavy naphthenic CAS: 64742-52-5 ID: C64742525 >= 30 - < 50 %	> 5000 mg/kg ( Rat )	> 5000 mg/kg ( Rabbit )	-
Graphite CAS: 7782-42-5 ID: C7782425	-	-	> 2000 mg/m <sup>3</sup> ( Rat ) 4 h

>= 10 - < 20 %			
Antimony, dialkyl dithiocarbamate CAS: 15890-25-2 ID: C15890252 >= 1 - < 5 %	> 16400 mg/kg ( Rat )	> 16000 mg/kg ( Rabbit )	-

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

<b>Skin corrosion/irritation</b>	No information available.
<b>Serious eye damage/eye irritation</b>	No information available.
<b>Respiratory or skin sensitization</b>	May cause an allergic skin reaction.
<b>Germ cell mutagenicity</b>	No information available.
<b>Carcinogenicity</b>	

NOTE: As per Note L, the carcinogen classification does NOT apply to this preparation because the producer of "Petroleum distillates, hydrotreated heavy naphthenic" declares that it contains less than 3% DMSO extractable material by IP-346

These substance(s) are inextricably bound in the product and therefore do not contribute to a dust inhalation hazard

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Distillates (petroleum), hydrotreated heavy paraffinic CAS: 64742-54-7 ID: C64742547 >= 50 - < 70 %	A2	Group 1	Known	X
Distillates (petroleum), hydrotreated heavy naphthenic CAS: 64742-52-5 ID: C64742525 >= 30 - < 50 %	A2	Group 1	Known	X
Talc CAS: 14807-96-6 ID: C14807966 >= 1 - < 5 %	-	Group 3	-	X

**Reproductive toxicity** No information available.

**STOT - single exposure** No information available.

**STOT - repeated exposure** No information available.

**Aspiration hazard** No information available.

## **12. Ecological information**

**Ecotoxicity** Harmful to aquatic life.

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Distillates (petroleum),	-	LC50: >5000mg/L (96h,	-	EC50: >1000mg/L (48h,

hydrotreated heavy paraffinic 64742-54-7		Oncorhynchus mykiss)		Daphnia magna)
Distillates (petroleum), hydrotreated heavy naphthenic 64742-52-5	-	LC50: >5000mg/L (96h, Oncorhynchus mykiss)	-	EC50: >1000mg/L (48h, Daphnia magna)
Graphite 7782-42-5	-	LC50: >100mg/L (96h, Danio rerio)	-	-
Talc 14807-96-6	-	LC50: >100g/L (96h, Brachydanio rerio)	-	-

#### Persistence and degradability

**Bioaccumulative potential** There is no data for this product.

#### Mobility in soil

**Other adverse effects** No information available.

### 13. Disposal considerations

#### Disposal methods

<b>Waste from residues/unused products</b>	Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.
<b>Contaminated packaging</b>	Do not reuse empty containers. Empty containers should be taken to an approved waste handling site for recycling or disposal.
<b>California waste information</b>	This product contains one or more substances that are listed with the State of California as a hazardous waste.

### 14. Transport information

#### Note:

DG for domestic (ground) transport applies to containers over 119 gallons or 450 litres.

IMDG Clause 2.10.2.7 / IATA Special Provision A197: Marine pollutants or dangerous goods packaged in single or combination packages containing a net quantity per single or inner package of 5 L or less for liquids or 5 kg for solids are not subject to any other transport regulations, provided the packaging meets general provisions.

#### DOT

<b>UN number or ID number</b>	UN3077
<b>Proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>DOT Marine Pollutant</b>	M
<b>Marine pollutant</b>	Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate), 9, III, Marine pollutant
<b>Special Provisions</b>	8, 146, 335, 384, 441, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33
<b>Emergency Response Guide Number</b>	171

**TDG**

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Special Provisions</b>	16, 99
<b>Marine pollutant name</b>	Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony.
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate), 9, III

**MEX**

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate), 9, III
<b>Special Provisions</b>	274, 331, 335, 375

**ICAO (air)**

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate), 9, III
<b>Special Provisions</b>	A97, A158, A179, A197, A215

**IATA**

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Technical Name</b>	Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Environmental hazards</b>	Yes
<b>Special Provisions</b>	A97, A158, A179, A197, A215
<b>ERG Code</b>	9L
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate), 9, III

**IMDG**

<b>UN number or ID number</b>	UN3077
<b>UN proper shipping name</b>	Environmentally hazardous substance, solid, n.o.s.
<b>Technical Name</b>	Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate
<b>Transport hazard class(es)</b>	9
<b>Packing group</b>	III
<b>Marine pollutant indicator</b>	M
<b>Marine pollutant name</b>	Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate
<b>Special Provisions</b>	274, 335, 375, 966, 967, 969
<b>EMS-No.</b>	F-A S-F
<b>Description</b>	UN3077, Environmentally hazardous substance, solid, n.o.s. (Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony, Antimony, dialkyl dithiocarbamate), 9, III, Marine pollutant

**15. Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

**International Regulations****The Montreal Protocol on Substances that Deplete the Ozone Layer** Not applicable**The Stockholm Convention on Persistent Organic Pollutants** Not applicable**The Rotterdam Convention** Not applicable**International Inventories****TSCA**

All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.

Chemical name	CAS No.	Inventory Listing Status	Commercial Activity Designation
Distillates (petroleum), hydrotreated heavy paraffinic	64742-54-7	Present	Active
Distillates (petroleum), hydrotreated heavy naphthenic	64742-52-5	Present	Active
Graphite	7782-42-5	Present	Active
Hydroxystearate sebacate lithium complexes	68815-49-6	Present	Active
Dilithium azelate	38900-29-7	Present	Active
Polytetrafluoroethylene	9002-84-0	Present	Active
Water	7732-18-5	Present	Active
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony	15991-76-1	Present	Active
Talc	14807-96-6	Present	Active
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts	68649-42-3	Present	Active
Antimony, dialkyl dithiocarbamate	15890-25-2	Present	Active
Dolomite	16389-88-1	Present	Active
2,5-Bis(octyldithio)-1,3,4-thiadiazole	13539-13-4	Present	Active
Diethyl disulphide	822-27-5	Present	Inactive
Alkenyl ester sulfide	NOCAS	-	Unknown *
Zinc dialkyldithiophosphate	69993-19-7	-	Unknown *
Lubricating oils (petroleum), hydrotreated spent	64742-58-1	Present	Active
Benzenesulphonic acid, propenated, calcium salts, overbased	68610-84-4	Present	Active
Distillates (petroleum), solvent-dewaxed heavy paraffinic	64742-65-0	Present	Active
Distillates (petroleum), solvent-refined light paraffinic	64741-89-5	Present	Active
Polyisobutylene	9003-27-4	Present	Active
Quartz	14808-60-7	Present	Active
Hydrogen sulfide	7783-06-4	Present	Active
Rubber, natural	9006-04-6	-	Unknown *
Ammonia	7664-41-7	Present	Active
Polybutene	9003-29-6	Present	Active
Magnesium oxide	1309-48-4	Present	Active

**DSL/NDSL**

All components of this product are on the Canadian DSL.

**EINECS/ELINCS**

All components are listed or exempted.

**ENCS**

All components are listed or exempted.

IECSC	All components are listed or exempted.
KECL	All components are listed or exempted.
PICCS	All components are listed or exempted.
AIIC	All components are listed on AICIS, or are exempt.
NZIoC	All components are listed or exempted.
TCSI	All components are listed or exempted.

**Legend:**

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIoC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

**US Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony CAS: 15991-76-1 ID: C15991761 >= 1 - < 5 %	1.0
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts CAS: 68649-42-3 ID: C68649423 >= 1 - < 5 %	1.0
Antimony, dialkyl dithiocarbamate CAS: 15890-25-2 ID: C15890252 >= 1 - < 5 %	1.0

**SARA 311/312 Hazard Categories**

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony CAS: 15991-76-1 ID: C15991761 >= 1 - < 5 %	-	X	-	-
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts CAS: 68649-42-3 ID: C68649423 >= 1 - < 5 %	-	X	-	-
Antimony, dialkyl dithiocarbamate	-	X	-	-

CAS: 15890-25-2 ID: C15890252 >= 1 - < 5 %				
--	--	--	--	--

**CAA (Clean Air Act)**

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

**CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

**US State Regulations****California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Proposition 65
Quartz CAS: 14808-60-7 ID: C14808607 >= 0 - < 1 %	Carcinogen

**U.S. State Right-to-Know Regulations**

Chemical name	New Jersey	Massachusetts	Pennsylvania
Distillates (petroleum), hydrotreated heavy paraffinic CAS: 64742-54-7 ID: C64742547 >= 50 - < 70 %	X	X	X
Distillates (petroleum), hydrotreated heavy naphthenic CAS: 64742-52-5 ID: C64742525 >= 30 - < 50 %	X	X	X
Graphite CAS: 7782-42-5 ID: C7782425 >= 10 - < 20 %	X	X	X
Polytetrafluoroethylene CAS: 9002-84-0 ID: C9002840 >= 5 - < 10 %	-	-	X
Water CAS: 7732-18-5 ID: C7732185 >= 1 - < 5 %	-	-	X
Tris[bis(2-ethylhexyl)dithiocarbamato-S,S'] antimony CAS: 15991-76-1 ID: C15991761 >= 1 - < 5 %	X	-	X
Talc CAS: 14807-96-6 ID: C14807966 >= 1 - < 5 %	X	X	X
Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts CAS: 68649-42-3 ID: C68649423	X	-	X

>= 1 - < 5 %			
Antimony, dialkyl dithiocarbamate CAS: 15890-25-2 ID: C15890252 >= 1 - < 5 %	X	-	X
Distillates (petroleum), solvent-refined light paraffinic CAS: 64741-89-5 ID: C64741895 >= 0 - < 1 %	-	X	-
Distillates (petroleum), solvent-dewaxed heavy paraffinic CAS: 64742-65-0 ID: C64742650 >= 0 - < 1 %	X	X	X
Quartz CAS: 14808-60-7 ID: C14808607 >= 0 - < 1 %	X	X	X
Hydrogen sulfide CAS: 7783-06-4 ID: C7783064 >= 0 - < 1 %	X	X	X
Ammonia CAS: 7664-41-7 ID: C7664417 >= 0 - < 1 %	X	X	X
Magnesium oxide CAS: 1309-48-4 ID: C1309484 >= 0 - < 1 %	X	X	X

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

#### **16. Other information**

<b>NFPA</b>	<b>Health hazards</b> 2	<b>Flammability</b> 1	<b>Instability</b> 0	<b>Special hazards</b> -
<b>HMIS</b>	<b>Health hazards</b> 2 *	<b>Flammability</b> 1	<b>Physical hazards</b> 0	<b>Personal protection</b> X
Chronic Hazard Star Legend				

\* = Chronic Health Hazard

#### **Key or legend to abbreviations and acronyms used in the safety data sheet**

##### Legend Section 8: Exposure controls/personal protection

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	Sk*	Skin designation

#### **Key literature references and sources for data used to compile the SDS**

U.S. Agency for Toxic Substances and Disease Registry (ATSDR)

U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA)

U.S. Environmental Protection Agency

Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan National Institute of Technology and Evaluation (NITE)  
Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)  
NIOSH (National Institute for Occupational Safety and Health)  
National Library of Medicine's ChemID Plus (NLM CIP)  
National Library of Medicine's PubMed database (NLM PUBMED)  
U.S. National Toxicology Program (NTP)  
New Zealand's Chemical Classification and Information Database (CCID)  
International Organization for Economic Co-operation and Development (OECD) Environment, Health, and Safety Publications  
International Organization for Economic Co-operation and Development (OECD) High Production Volume Chemicals Program  
International Organization for Economic Co-operation and Development (OECD) Screening Information Data Set  
United Nations World Health Organization (WHO)

**Revision date** 30-Oct-2025

**Revision Note**

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**