



Cutting Oil Thread Cutting Lubricant, 12 Wt Oz

No. 14050 | Item# 1004784 | Case# 1004783

Product Description

Cutting Oil is a superior thread cutting lubricant for use on all types of metals, including brass, copper and aluminum.

Applications

Tapping, threading, drilling, sawing, shearing, turning, and reaming metal parts, pipes, conduit, screws, bolt holes, housings, aluminum sheets, strapping, gears and chains.

Unit Package Description

16 Ounce Aerosol

Brand

CRC

Generic Description 1

Thread Cutting Lubricant

Net Fill

12 Wt Oz

UPC Code

078254140506

Unit Dimensions

7.75H x 2.63W x 2.63D in

Units Per Case

12

Case Dimensions

8.1H x 8.3W x 11.1D in

Cases Per Pallet

133

Case Weight

12 lbs

I 2 of 5 Code

30078254140507

Appearance

Brown Liquid

Base Type

Petroleum

Flash point (F)

>300°F

Flash point (C)

>149°C

Flammability Class - CPSC

Flammable

Spec Gravity Concentrate

0.924

Plastic Safe

Safe on Acrylic Plastics

Film Type

Non-Drying

Evaporation Rate

Slow

Working Temp (F)

Max 300°F

Working Temp (C)

Max 148.9°C

Propellant

Hydrocarbon

Last revised: 11/5/2019

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t y i n • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



NSF Category Code	P1
NSF Number	017206
Aerosol Flammability Level	III
DOT Proper Shipping Name	Aerosols, Flammable, Limited Quantity
VOC % (Consumer Product def)	20
VOC g/L (Consumer Product def)	184.8
VOC lbs/gal (Consumer Prod def)	1.54
VOC Category	Cutting or Tapping Oil (Aerosol)
Restricted from Sale In:	SCAQMD
Removal (How To)	Remove with general purpose degreaser.

