

# SAFETY DATA SHEET

# 1. Identification

Product identifier	Disc Brake Quiet - 4 oz		
Other means of identification			
Product Code	No. 05016 (Item# 1003630)		
Recommended use	Apply to brakes to decrease noise		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier	/Distributor information		
Manufactured or sold by:			
Company name	CRC Industries, Inc.		
Address	885 Louis Dr.		
	Warminster, PA 18974 US		
Telephone			
General Information	215-674-4300		
Technical Assistance	800-521-3168		
Customer Service	800-272-4620		
24-Hour Emergency	800-424-9300 (US)		
(CHEMTREC) Website	www.crcindustries.com		
2. Hazard(s) identification	1		
Physical hazards	Not classified.		
Health hazards	Sensitization, skin	Category 1	
	Carcinogenicity	Category 2	
	Specific target organ toxicity, single exposure (oral)	Category 1 (central nervous system, kidney)	
	Specific target organ toxicity, repeated exposure (oral)	Category 2 (kidney)	
Environmental hazards	Not classified.		
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		
Hazard statement	May cause an allergic skin reaction. Suspected of causing cancer. Causes damage to organs (central nervous system, kidney) by ingestion. May cause damage to organs (kidney) through prolonged or repeated exposure by ingestion.		
Precautionary statement			
Prevention	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe vapors. Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.		
Response	If on skin: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse. If exposed or concerned: Get medical advice/attention.		
Storage	Store locked up.		
D' A A A A	Disease of contents (contained in a content of the second		

Dispose of contents/container in accordance with local/regional/national regulations.

Disposal

# 3. Composition/information on ingredients

#### Mixtures

Chemical name	Common name and synonyms	CAS number	%
water		7732-18-5	30 - 40
ethylene glycol		107-21-1	1 - 3
triethanolamine		102-71-6	1 - 3
diethanolamine		111-42-2	< 0.2

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures		
Inhalation	If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathin Call a physician if symptoms develop or persist.	
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.	
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. If ingestion of a large amount does occur, call a poison control center immediately.	
Most important symptoms/effects, acute and delayed	Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction. Dermatitis. Rash. Edema. Prolonged exposure may cause chronic effects.	
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.	
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.	
5. Fire-fighting measures		
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).	

Suitable extinguishing media Unsuitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Keep container tightly closed. Protect from freezing. Store away from incompatible materials (see Section 10 of the SDS).

### 8. Exposure controls/personal protection

### Occupational exposure limits

US. ACGIH Threshold Limit Val Components	ues Type	Value	Form
diethanolamine (CAS 111-42-2)	TWA	1 mg/m3	Inhalable fraction and vapor.
ethylene glycol (CAS 107-21-1)	STEL	10 mg/m3	Aerosol, inhalable.
		50 ppm	Vapor fraction
	TWA	25 ppm	Vapor fraction
triethanolamine (CAS 102-71-6)	TWA	5 mg/m3	
US. NIOSH: Pocket Guide to Ch	emical Hazards		
Components	Туре	Value	
diethanolamine (CAS 111-42-2)	TWA	15 mg/m3	
		3 ppm	

No biological exposure limits noted for the ingredient(s).

### Biological limit values Exposure guidelines

US - California OELs: Skin d	lesignation	
diethanolamine (CAS 111 US ACGIH Threshold Limit V		Can be absorbed through the skin.
diethanolamine (CAS 111	-	Can be absorbed through the skin.
Appropriate engineering controls	should be matched to conditio or other engineering controls t	cally 10 air changes per hour) should be used. Ventilation rates ns. If applicable, use process enclosures, local exhaust ventilation, o maintain airborne levels below recommended exposure limits. If established, maintain airborne levels to an acceptable level.
Individual protection measures,	such as personal protective e	quipment
Eye/face protection	Wear safety glasses with side shields (or goggles).	
Skin protection		
Hand protection	Wear protective gloves such a	s: Nitrile. Neoprene.
Other	Wear suitable protective cloth	ng.
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.	
Thermal hazards	Wear appropriate thermal prot	ective clothing, when necessary.
General hygiene considerations		I hygiene measures, such as washing after handling the material nd/or smoking. Routinely wash work clothing and protective nants.

### 9. Physical and chemical properties

Appearance	
Physical state	Solid, Liquid.
Form	Semi-solid paste.
Color	Red.

Odor	Acrylic.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	9 °F (-12.8 °C) estimated
Initial boiling point and boiling range	212 °F (100 °C) estimated
Flash point	None.
Evaporation rate	Slow.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	2.6 % estimated
Flammability limit - upper (%)	15.3 % estimated
Vapor pressure	9.4 hPa estimated
Vapor density	Not available.
Relative density	1.03
Solubility(ies)	
Solubility (water)	Dispersible.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	748.4 °F (398 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Percent volatile	39.1 % estimated

# 10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Protect from freezing.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Acrylic monomers.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	May cause damage to organs by inhalation. May cause damage to organs through prolonged or repeated exposure by inhalation.
Skin contact	May cause an allergic skin reaction.
	Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Causes damage to organs by ingestion. May cause damage to organs through prolonged or repeated exposure by ingestion.
Symptoms related to the physical, chemical and toxicological characteristics	Narcosis. Behavioral changes. Decrease in motor functions. May cause an allergic skin reaction. Dermatitis. Rash. Edema.
Information on toxicological eff	fects
Acute toxicity	Not known.

Acute toxicity	Not
----------------	-----

Components	Species	Test Results	
diethanolamine (CAS 111-42-2)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	8180 mg/kg	
Oral		222 #	
LD50	Rat	680 mg/kg	
ethylene glycol (CAS 107-21-1)			
<u>Acute</u>			
<b>Dermal</b> LD50	Rat	> 5000 mg/kg	
	ral	> 5000 mg/kg	
<b>Oral</b> LD50	Rat	> 5000 mg/kg	
	Ναι	> 3000 mg/kg	
triethanolamine (CAS 102-71-6)			
<u>Acute</u> Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	4190 mg/kg	
* Estimates for product may b	e based on additional component	nt data not shown.	
Skin corrosion/irritation	Prolonged skin contact may c	ause temporary irritation.	
Serious eye damage/eye irritation	Direct contact with eyes may cause temporary irritation.		
Respiratory or skin sensitization	ı		
<b>Respiratory sensitization</b>	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	Suspected of causing cancer.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
		2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans. 001-1052)	
	ogram (NTP) Report on Carcin	ogens	
Not listed.	This product is not support of t	a course reproductive or developmental offects	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Causes damage to organs (ce	ntral nervous system, kidney) by ingestion.	
Specific target organ toxicity - repeated exposure	May cause damage to organs	(kidney) through prolonged or repeated exposure by ingestion.	
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	May cause damage to organs through prolonged or repeated exposure. May be harmful if absorbed through skin. Prolonged inhalation may be harmful.		
	Prolonged or repeated experies	re may cause liver and kidney damage. These effects have not	

# 12. Ecological information

Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
diethanolamine (CAS 1	11-42-2)		
Aquatic			
Crustacea	EC50	Water flea (Ceriodaphnia dubia)	61.8 - 86.04 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	100 mg/l, 96 hours
ethylene glycol (CAS 1	07-21-1)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	41000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	22810 mg/l, 96 hours
triethanolamine (CAS 1	102-71-6)		
Aquatic			
Acute			
Fish	LC50	Bluegill (Lepomis macrochirus)	450 - 1000 mg/l, 96 hours
* Estimates for product	may be based on	additional component data not shown.	
sistence and degradat	oility		
accumulative potentia	I		
Partition coefficient n	i-octanol / water (	•	
diethanolamine		-1.43	
ethylene glycol		-1.36	
triethanolamine	Nie dete e	-1	
pility in soil	No data a	valladie.	
er adverse effects		adverse environmental effects (e.g. ozone depl endocrine disruption, global warming potential)	

### 13. Disposal considerations

Disposal instructions	This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 – 261.33). Empty containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose in accordance with all applicable regulations.
Hazardous waste code	Not regulated.
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

### 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated. SARA 304 Emergency release notification

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

ethylene glycol (CAS 107-21-1)

	CERCLA Hazardous Su	bstance List (40 CFR 302.4)	1	
	diethanolamine (CAS 111-42-2) ethylene glycol (CAS 107-21-1) CERCLA Hazardous Substances: Reportable quantity			
	diethanolamine (CAS		100 LBS	
	ethylene glycol (CAS		5000 LBS	
		g in the loss of any ingredient 24-8802) and to your Local Ei		uire immediate notification to the National mmittee.
Oth	er federal regulations			
	Clean Air Act (CAA) Section		nts (HAPs) List	
	diethanolamine (CAS 111 ethylene glycol (CAS 107 Clean Air Act (CAA) Section	-21-1)	Prevention (40 CFR 6	8.130)
	Not regulated.			
	Safe Drinking Water Act (SDWA)	Not regulated.		
	Food and Drug Administration (FDA)	Not regulated.		
Sup	perfund Amendments and Re		-	
	Classified hazard categories	Respiratory or skin sensitiz Carcinogenicity Specific target organ toxicit		xposure)
	SARA 302 Extremely hazard	lous substance		
	Not listed.			
	SARA 311/312 Hazardous chemical	Yes		
	SARA 313 (TRI reporting) Chemical name	C	AS number	% by wt.
				78 <b>6 7 1 1</b>
	ethylene glycol	1	07-21-1	1 - 3
US	ethylene glycol state regulations	ſ		
US	state regulations US. New Jersey Worker and	Community Right-to-Know	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107	Community Right-to-Know I-42-2) I-21-1)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102	Community Right-to-Know I-42-2) -21-1) 2-71-6)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si	Community Right-to-Know I-42-2) -21-1) 2-71-6) ubstance List	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107	Community Right-to-Know I-42-2) -21-1) 2-71-6) ubstance List I-42-2) -21-1)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 102 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 102 triethanolamine (CAS 102	Community Right-to-Know I-42-2) -21-1) 2-71-6) ubstance List I-42-2) -21-1) 2-71-6)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and	Community Right-to-Know -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Kno	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107	Community Right-to-Know -42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Kno 1-42-2) -21-1)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102	Community Right-to-Know -42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Kno 1-42-2) -21-1)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 112 US. Pennsylvania Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 112 US. Rhode Island RTK diethanolamine (CAS 111	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) 1-42-2)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) -21-1)	07-21-1	
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker an diethanolamine (CAS 102 US. Pennsylvania Worker an diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Rhode Island RTK	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) -21-1) 2-71-6)	ov Law	1-3
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker an diethanolamine (CAS 102 US. Pennsylvania Worker an diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Rhode Island RTK	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) -21-1)	ov Law	1-3
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - St diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 112 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 California Proposition 65 WARNING: Cal	Community Right-to-Know 1-42-2) 2-71-6) ubstance List 1-42-2) 2-21-1) 2-71-6) nd Community Right-to-Know 1-42-2) 2-21-1) 2-71-6) 1-42-2) 2-21-1) 2-71-6) 1-42-2)	ov Law	1-3
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - St diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 112 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 California Proposition 65 WARNING: Cal	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) -21-2) -	ov Law	1-3
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 California Proposition 65 WARNING: Ca 1,4-dioxane (CAS 122 acetaldehyde (CAS 122 CAS 122 C	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) -21	ogenic substance Listed: January 1, Listed: April 1, 198	1 - 3 sa.gov 1988
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 California Proposition 65 WARNING: Ca 1,4-dioxane (CAS 122 acetaldehyde (CAS 122 D&C ORANGE NO.	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-20 -21-1) 2-71-6) 1-42-20 -21-10 -21-20 -	ogenic substance Listed: January 1, Listed: July 1, 199 Listed: July 1, 199	1-3 sa.gov 1988 38 0
US	state regulations US. New Jersey Worker and diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Massachusetts RTK - Si diethanolamine (CAS 111 ethylene glycol (CAS 107 triethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 102 US. Pennsylvania Worker and diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 US. Rhode Island RTK diethanolamine (CAS 102 California Proposition 65 WARNING: Ca 1,4-dioxane (CAS 122 acetaldehyde (CAS 122 CAS 122 C	Community Right-to-Know 1-42-2) -21-1) 2-71-6) ubstance List 1-42-2) -21-1) 2-71-6) nd Community Right-to-Know 1-42-2) -21-1) 2-71-6) 1-42-2) 1-42-2) -21-1) 2-71-7) 1-42-2) -21-1) 2-72-7) 1-42-2) -21-1) 2-72-7) 1-42-2)	ogenic substance Listed: January 1, Listed: April 1, 198	1-3 1-3

California Proposition	65 - CRT: Listed date/Develop	mental toxin	
ethylene glycol (CAS	\$ 107-21-1)	Listed: June 19, 2015	
ethylene oxide (CAS		Listed: August 7, 2009	
•	65 - CRT: Listed date/Female r	•	
ethylene oxide (CAS California Proposition (	5 75-21-8) 65 - CRT: Listed date/Male rep	Listed: February 27, 1987 roductive toxin	
ethylene oxide (CAS US. California. Candida subd. (a)) diethanolamine (CAS ethylene glycol (CAS	te Chemicals List. Safer Cons S 111-42-2)	Listed: August 7, 2009 sumer Products Regulations (Cal. Co	de Regs, tit. 22, 69502.3,
Volatile organic compounds (V			
EPA			
VOC content (40 CFR 51.100(s))	4 %		
Consumer products (40 CFR 59, Subpt. C)	Not regulated		
State			
Consumer products	Not regulated		
VOC content (CA)	0.8 %		
VOC content (OTC)	0.8 %		
International Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	Australian Inventory of Chem	ical Substances (AICS)	No
Canada	Domestic Substances List (D	SL)	Yes
Canada	Non-Domestic Substances Li	st (NDSL)	No
China	Inventory of Existing Chemica	al Substances in China (IECSC)	No
Europe	European Inventory of Existin Substances (EINECS)	g Commercial Chemical	No
Europe	European List of Notified Che	mical Substances (ELINCS)	No
Japan	Inventory of Existing and Nev	V Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL	)	No
New Zealand	New Zealand Inventory		No
Philippines	Philippine Inventory of Chemi (PICCS)	cals and Chemical Substances	No
Taiwan	Taiwan Chemical Substance	Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Ac	t (TSCA) Inventory	Yes
		e inventory requirements administered by th t listed or exempt from listing on the inventor	

country(s).

# 16. Other information, including date of preparation or last revision

Issue date	04-02-2019
Prepared by	Dustin Kern
Version #	01
Further information	CRC # 562C/1002580
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	This document has undergone significant changes and should be reviewed in its entirety.