# CRO

# SAFETY DATA SHEET

# 1. Identification

Product identifier Driller Red Grease - 14 oz

Other means of identification

Product Code No. SL3640 (Item# 1007959)

Recommended use Lubricant
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name CRC Industries, Inc.

Address 885 Louis Dr.

Warminster, PA 18974 US

**Telephone** 

 General Information
 215-674-4300

 Technical Assistance
 800-521-3168

 Customer Service
 800-272-4620

 24-Hour Emergency
 800-424-9300 (US)

(CHEMTREC)

Website www.crcindustries.com

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

Serious eye damage/eye irritation

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

**Precautionary statement** 

**Prevention** Use with adequate ventilation. Open doors and windows or use other means to ensure a fresh air

supply during use and while product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wear protective gloves and eye/face protection. Wash

Category 2

thoroughly after handling.

**Response** If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take

off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye

irritation persists: Get medical advice/attention.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of contents/container in accordance with local/regional/national regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

No. SL3640 (Item# 1007959) Version #: 01 Issue date: 03-18-2019

Chemical name	Common name and synonyms	CAS number	%
distillates (petroleum), hydrotreated heavy naphthenic		64742-52-5	60 - 70
lithium hydroxide, monohydrate		1310-66-3	1 - 3
residual oils (petroleum), solvent-refined		64742-01-4	1 - 3
tris(dipentyldithiocarbamato-s,s')an imony	t	15890-25-2	1 - 3

Specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation If breathing is difficult, remove to fresh air and keep at rest in a position comfortable for breathing.

Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. Seek medical attention if Skin contact

tissue appears damaged or if pain or irritation persists. If material is injected under the skin, seek medical attention immediately. If burned by hot material, cool skin by quenching with large

amounts of cool water. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Do not induce vomiting without advice from poison control center. Rinse mouth. Never give Ingestion

anything by mouth to a victim who is unconscious or is having convulsions. If ingestion of a large

amount does occur, call a poison control center immediately.

Most important symptoms/effects, acute and Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

delayed Indication of immediate medical attention and special treatment needed

If this product is stored or applied in high-pressure systems such as grease guns or hydraulic lines, there is the potential for accidental injection into the skin and underlying tissues. In the event of injection in underlying tissue, immediate treatment should include extensive incision, debridement and saline irrigation. Inadequate treatment can result in ischemia and gangrene. Early symptoms may be minimal. If ingested, check for possible bowel obstruction with ingestion of large quantities of material.

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

None known.

Specific hazards arising from the chemical

Addition of water or foam to the fire may cause frothing. Molten material can form flaming droplets if ignited. Use of water on product above 100 °C (212 °F) can cause product to expand with

explosive force.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment/instructions

Use water spray to cool unopened containers.

General fire hazards

media

No unusual fire or explosion hazards noted.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Prevent entry into waterways, sewer, basements or confined areas.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

Material name: Driller Red Grease - 14 oz

SDS US

# 7. Handling and storage

#### Precautions for safe handling

Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Use care in handling/storage. If this product is stored or applied in high-pressure systems such as grease guns or hydraulic lines, there is the potential for accidental injection into the skin and underlying tissues. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. For product usage instructions, see the product label.

Conditions for safe storage, including any incompatibilities

Store in a cool, dry place out of direct sunlight. Store in original tightly closed container. Store in a well-ventilated place.

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Туре	Value	Form
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
tris(dipentyldithiocarbamato -s,s')antimony (CAS 15890-25-2)	PEL	0.5 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
residual oils (petroleum), solvent-refined (CAS 64742-01-4)	TWA	5 mg/m3	Inhalable fraction.
tris(dipentyldithiocarbamato -s,s')antimony (CAS 15890-25-2)	TWA	0.5 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	Ceiling	1800 mg/m3	
	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
tris(dipentyldithiocarbamato -s,s')antimony (CAS 15890-25-2)	TWA	0.5 mg/m3	
•	tal Exposure Level (WEEL) Guides		
Components	Туре	Value	
lithium hydroxide, monohydrate (CAS 1310-66-3)	Ceiling	1 mg/m3	
ogical limit values	No biological exposure limits noted for the in	gredient(s).	
osure guidelines	Occupational Exposure Limits are not relevant to the current physical form of the product.		
ropriate engineering trols	Good general ventilation (typically 10 air cha should be matched to conditions. If applicable or other engineering controls to maintain air	le, use process enclosu	res, local exhaust ventilati

or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye

wash facilities and emergency shower should be available when handling this product.

Material name: Driller Red Grease - 14 oz

SDS US

Individual protection measures, such as personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear protective gloves such as: Nitrile. Polyvinyl chloride (PVC).

Wear appropriate chemical resistant clothing. Other

If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use a Respiratory protection

NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to

determine actual employee exposure levels.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Solid. **Form** Grease. Red. Color

Odor Mild petroleum. Odor threshold Not available. Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

680 °F (360 °C) estimated

302 °F (150 °C) Open Cup Flash point

**Evaporation rate** Not available. Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

< 0.01 mm Hq Vapor pressure Vapor density > 10 (air = 1)

Relative density 0.93

Solubility(ies)

Not available. Solubility (water) Partition coefficient Not available.

(n-octanol/water)

500 °F (260 °C) estimated **Auto-ignition temperature** 

**Decomposition temperature** Not available. **Viscosity** Not available. Percent volatile 69 % estimated

#### 10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Material is stable under normal conditions. Chemical stability

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Heat, flames and sparks. Contact with incompatible materials.

Strong oxidizing agents. Incompatible materials

Hazardous decomposition Carbon oxides. Hydrocarbon fumes and smoke. Sulfur oxides. Oxides of phosphorus. Nitrogen

products oxides (NOx). Zinc oxide.

# 11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Causes skin irritation. Skin contact

Causes serious eye irritation. Eye contact

Ingestion Health injuries are not known or expected under normal use.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Skin irritation. May cause redness and pain.

Information on toxicological effects

None known. **Acute toxicity** 

Components Species **Test Results** 

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

**Acute** 

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

**Acute** 

**Dermal** 

LD50 Rabbit > 2000 mg/kg

Inhalation

LC50 Rat 2.18 mg/l, 4 hours

Oral

LD50 Rat > 5000 mg/kg

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

Acute

**Dermal** 

LD50 Rabbit > 16000 mg/kg

Oral

LD50 Rat > 16400 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Not classified. Specific target organ toxicity -

single exposure

Material name: Driller Red Grease - 14 oz No. SL3640 (Item# 1007959) Version #: 01 Issue date: 03-18-2019

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** 

Not an aspiration hazard.

Prolonged exposure may cause chronic effects. Chronic effects

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components		Species	Test Results
distillates (petroleum),	hydrotreated heav	y naphthenic (CAS 64742-52-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1000 mg/l, 48 hours
Fish	LC50	Rainbow trout,donaldson trout (Oncorhynchus mykiss)	5000 mg/l, 96 hours
esidual oils (petroleur	m), solvent-refined	(CAS 64742-01-4)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	1000 mg/l, 48 hours
Fish	LC50	Rainbow trout, donaldson trout (Oncorhynchus mykiss)	5000 mg/l, 96 hours
ris(dipentyldithiocarba	amato-s,s')antimony	y (CAS 15890-25-2)	
Aquatic			
Chronic			

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

NOEC

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

Water flea (Daphnia magna)

potential, endocrine disruption, global warming potential) are expected from this component.

0.02 mg/l, 21 days

#### 13. Disposal considerations

Crustacea

**Disposal instructions** This product is not a RCRA hazardous waste (See 40 CFR Part 261.20 - 261.33). Empty

containers may be recycled. Collect and reclaim or dispose in sealed containers at licensed waste

disposal site. Dispose in accordance with all applicable regulations.

Hazardous waste code

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

# 15. Regulatory information

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication **US federal regulations** 

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

SARA 304 Emergency release notification

No. SL3640 (Item# 1007959) Version #: 01 Issue date: 03-18-2019

Not regulated.

Material name: Driller Red Grease - 14 oz

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

#### US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

#### **CERCLA Hazardous Substance List (40 CFR 302.4)**

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

#### **CERCLA Hazardous Substances: Reportable quantity**

Not listed.

Spills or releases resulting in the loss of any ingredient at or above its RQ require immediate notification to the National Response Center (800-424-8802) and to your Local Emergency Planning Committee.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

Food and Drug

Not regulated.

Administration (FDA)

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Classified hazard Skin corrosion or irritation

categories Serious eye damage or eye irritation

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

#### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
tris(dipentyldithiocarbamato-s,s')antimony	15890-25-2	1 - 3

#### **US** state regulations

#### US. New Jersey Worker and Community Right-to-Know Act

lithium hydroxide, monohydrate (CAS 1310-66-3)

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

# **US. Massachusetts RTK - Substance List**

Not listed.

# US. Pennsylvania Worker and Community Right-to-Know Law

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

#### **US. Rhode Island RTK**

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

#### **California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 2016 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

# US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)

residual oils (petroleum), solvent-refined (CAS 64742-01-4)

tris(dipentyldithiocarbamato-s,s')antimony (CAS 15890-25-2)

#### Volatile organic compounds (VOC) regulations

**EPA** 

VOC content (40 CFR

Not determined

51.100(s))

**Consumer products** 

Not regulated

(40 CFR 59, Subpt. C)

Material name: Driller Red Grease - 14 oz

Not regulate

State

Consumer products Not regulated

VOC content (CA) Not determined

VOC content (OTC) Not determined

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical	Yes

Substances (EINECS)

EuropeEuropean List of Notified Chemical Substances (ELINCS)NoJapanInventory of Existing and New Chemical Substances (ENCS)NoKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

TaiwanTaiwan Chemical Substance Inventory (TCSI)YesUnited States & Puerto RicoToxic Substances Control Act (TSCA) InventoryYes

# 16. Other information, including date of preparation or last revision

Issue date03-18-2019Prepared byAllison Yoon

Version # 01

**Disclaimer**The information contained in this document applies to this specific material as supplied. It may not

be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety

professional, or CRC Industries, Inc..

Revision information Product and Company Identification: Product and Company Identification

Hazard(s) identification: Prevention Hazard(s) identification: Response

Composition / Information on Ingredients: Disclosure Overrides Composition/information on ingredients: Component information

Handling and storage: Precautions for safe handling

Transport Information: Agency Name, Packaging Type, and Transport Mode Selection

Regulatory information: California Proposition 65

Other information, including date of preparation or last revision: Disclaimer

GHS: Classification

Material name: Driller Red Grease - 14 oz

No. SL3640 (Item# 1007959) Version #: 01 Issue date: 03-18-2019

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).