



Copper Anti-Seize & Lubricating Compound, 8 Wt Oz

No. SL35901 | Item# 1007938 | Case# 1007937

Product Description

Sta-Lube Copper Anti-Seize is a general purpose anti-seize lubricant that prevents seizing caused by high temperature, heavy loads, vibrations and corrosion. This unique formula has been designed with a smooth texture and fine particle sizing. Conductive.

Applications

Fittings, bushings, flanges, headers, nuts, screws, studs, threaded surfaces, pipes, plugs, and manifolds to prevent seizing and galling of surfaces.

Unit Package Description

8 Ounce Brush-Top Bottle

Brand

CRC

Generic Description 1

General Purpose Anti Seize Lubricant

Net Fill

8 Wt Oz

UPC Code

072213359015

Unit Dimensions

4.25H x 2.5W x 2.5D in

Units Per Case

12

Case Dimensions

5H x 6.63W x 10.0D in

Cases Per Pallet

108

Case Weight

8 lbs

I 2 of 5 Code

30072213359016

Appearance

Copper Semi-Solid Paste

Base Type

Copper

Flash point (F)

420°F

Flash point (C)

216°C

Flammability Class - CPSC

None

Spec Gravity Concentrate

1.21

Plastic Safe

Yes

Film Type

Wet

Evaporation Rate

<0.01 (Butyl Acetate=1)

Dielectric Strength

Not Determined

ISO Viscosity Grade

Not Applicable

Last revised: 11/14/2019

Page 1 of 2



Chemical Solutions to Keep You Moving™

f t y o i n • 800-272-8963 • crcindustries.com

CRC Industries, Inc. is a global leader in the production of specialty chemicals for maintenance, repair and operational professionals and do-it-yourselfers serving the automotive, industrial, electrical, marine, heavy truck, hardware and aviation markets. CRC trademarked brands include: CRC®, K&W®, Sta-Lube®, SmartWasher®, Marykate®, Weld-Aid®, Ambersil®, KF®, Kontakt Chemie®, Ados®, Action Can®, and Kitten®.

©2019 CRC Industries, Inc.



| | |
|---------------------------------|--|
| NLGI Grade | 1 |
| Working Temp (F) | -95 to 2000°F |
| Working Temp (C) | -70.5 to -1093.3° C |
| Propellant | None |
| NSF Category Code | Not Applicable |
| NSF Number | Not Applicable |
| Military Specification Number | Meets requirements of Mil-PRF-907E |
| Aerosol Flammability Level | Not Applicable |
| DOT Proper Shipping Name | Not Regulated |
| VOC % (Consumer Product def) | 2.9 |
| VOC g/L (Consumer Product def) | 35.1 |
| VOC lbs/gal (Consumer Prod def) | 0.29 |
| VOC Category | Anti-Seize Lubricant (Non-Aerosol) |
| Removal (How To) | Remove with general purpose degreaser. |

