

SAFETY DATA SHEET

1. Identification

Product identifier	NOZZLE-KLEEN® HD® - 15 oz	
Other means of identification		
Product Code	No. 007020 (Item# 1008282)	
Recommended use	Protects nozzles, diffusers, and tips from spatter build-up	
Recommended restrictions	This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.	

Manufacturer/Importer/Supplier/Distributor information

Manufactured or sold by:

Company name Address	CRC Industries, Inc. 885 Louis Dr. Warminster, PA 18974 US
Telephone	
General Information	215-674-4300
Technical Assistance	800-521-3168
Customer Service	800-272-4620
24-Hour Emergency (CHEMTREC)	800-424-9300 (US)
Website	www.crcindustries.com

2. Hazard(s) identification

Physical hazards	Gases under pressure Compressed gas			
Health hazards	Acute toxicity, oral	Category 4		
	Skin corrosion/irritation	Category 2		
	Serious eye damage/eye irritation	Category 2A		
	Carcinogenicity	Category 1B		
	Specific target organ toxicity, single exposure	Category 3 narcotic effects		
	Specific target organ toxicity, repeated exposure	Category 2		
Environmental hazards	Not classified.			
OSHA defined hazards	Not classified.			
Label elements				
Signal word	Danger			
Hazard statement		neated. Harmful if swallowed. Causes skin irritation. /siness or dizziness. May cause cancer. May cause /ted exposure.		
Precautionary statement				
Prevention	and understood. Do not puncture or incinerate temperatures above 49 °C/120 °F. Do not brea Open doors and windows or use other means	handle until all safety precautions have been read container. Do not expose to heat or store at athe mist or vapor. Use with adequate ventilation. to ensure a fresh air supply during use and while oms listed on this label increase ventilation or		

product is drying. If you experience any symptoms listed on this label, increase ventilation or leave the area. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection.

Response	If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If exposed or concerned: Get medical advice/attention.
Storage	Store locked up. Protect from sunlight. Store in a well-ventilated place. Exposure to high temperature may cause can to burst.
Disposal	Dispose of contents/container in accordance with local/regional/national regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
methylene chloride		75-09-2	90 - 100
carbon dioxide		124-38-9	5 - 10
Specific chemical identity and/or percentage of composition has been withheld as a trade secret.			

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Get medical advice/attention if you feel unwell.
Most important symptoms/effects, acute and delayed	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Pressurized container may rupture when exposed to heat or flame. During fire, gases hazardous to health may be formed. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up.
General fire hazards	Contents under pressure. Pressurized container may rupture when exposed to heat or flame.

6. Accidental release measures

0. Accidental release meas	
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Many gases are heavier than air and will spread along ground and collect in low or confined areas (sewers, basements, tanks). Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Emergency personnel need self-contained breathing equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop the flow of material, if this is without risk. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. Put material in suitable, covered, labeled containers. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Use caution around energized equipment. The metal container will conduct electricity if it contacts a live source. This may result in injury to the user from electrical shock and/or flash fire. Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. When using, do not eat, drink or smoke. Should be handled in closed systems, if possible. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices. For product usage instructions, see the product label.
Conditions for safe storage,	Level 1 Aerosol.
including any incompatibilities	Contents under pressure. Do not expose to heat or store at temperatures above 120 °F/49 °C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Stored containers should be periodically checked for general condition and leakage. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Substances (29 CFR 1910.1001-1050) Type	Value	
methylene chloride (CAS 75-09-2)	STEL	125 ppm	
	TWA	25 ppm	
US. OSHA Table Z-1 Limits for Air	r Contaminants (29 CFR 1910.1000)		
Components	Туре	Value	
carbon dioxide (CAS 124-38-9)	PEL	9000 mg/m3	
		5000 ppm	
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	
carbon dioxide (CAS 124-38-9)	STEL	30000 ppm	
	TWA	5000 ppm	
methylene chloride (CAS 75-09-2)	TWA	50 ppm	

US. NIOSH: Pocket Guide	e to Chemical Hazar	ds		
Components	Т	уре	Va	lue
carbon dioxide (CAS 124-38-9)	S	TEL	54	000 mg/m3
			30	000 ppm
	Т	WA	90	00 mg/m3
			50	00 ppm
Biological limit values				
ACGIH Biological Expos	ure Indices			
Components	Value	Determinant	Specimen	Sampling Time
methylene chloride (CAS 75-09-2)	0.3 mg/l	Dichlorometha ne	Urine	*
* - For sampling details, ple	ease see the source of	document.		
controls	or other enginee exposure limits	ering controls to mainta have not been establis	in airborne level hed, maintain ai	cess enclosures, local exhaust ventilation, Is below recommended exposure limits. If rborne levels to an acceptable level. Provide nowers are recommended.
ndividual protection measur	•			
Eye/face protection	Wear safety gla	sses with side shields (or goggles).	
Skin protection				
Hand protection	Wear protective	gloves such as: Polyvi	nyl alcohol (PVA	A). Viton/butyl.
Other	Wear appropriat	te chemical resistant cl	othing.	
Respiratory protection	If engineering controls are not feasible or if exposure exceeds the applicable exposure limits, use NIOSH-approved cartridge respirator with an organic vapor cartridge. Use a self-contained breathing apparatus in confined spaces and for emergencies. Air monitoring is needed to determine actual employee exposure levels.			
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.			
General hygiene considerations	and drink. Alway material and be	ys observe good perso	nal hygiene mea	n using do not smoke. Keep away from food asures, such as washing after handling the Routinely wash work clothing and protective

9. Physical and chemical properties

_

Appearance	
Physical state	Liquid.
Form	Aerosol.
Color	Colorless.
Odor	Ether-like.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	-139 °F (-95 °C) estimated
Initial boiling point and boiling range	104 °F (40 °C) estimated
Flash point	None.
Evaporation rate	Fast.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	15.5 % estimated
Flammability limit - upper (%)	66.4 % estimated
Vapor pressure	4604.3 hPa estimated
Vapor density	> 1 (air = 1)

Relative density	1.32 estimated	
Solubility(ies)		
Solubility (water)	Negligible.	
Partition coefficient (n-octanol/water)	Not available.	
Auto-ignition temperature	1033 °F (556.1 °C) estimated	
Decomposition temperature	Not available.	
Viscosity	Not available.	
Percent volatile	90.3 % estimated	
Other information		
VOC-State Aerosol Coatings (MIR)	0.07	
10. Stability and reactivit	ty	

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Heat, flames and sparks. When exposed to extreme heat or hot surfaces, vapors may decompose to harmful or fatal corrosive gases such as hydrogen chloride and possibly phosgene. Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Carbon oxides. Hydrogen chloride. Phosgene.

11. Toxicological information

The Toxicological Information				
Information on likely routes of	exposure			
Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting.			
Skin contact	Causes skin irritation.	Causes skin irritation.		
Eye contact	Causes serious eye irritation.	Causes serious eye irritation.		
Ingestion	Harmful if swallowed.	Harmful if swallowed.		
Symptoms related to the physical, chemical and toxicological characteristics	May cause drowsiness and dizziness. Headache. Nausea, vomiting. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.			
Information on toxicological ef	fects			
Acute toxicity	Harmful if swallowed.			
Components	Species	Test Results		
methylene chloride (CAS 75-09-2	?)			
Acute				
Dermal				
LD50	Rabbit	> 2000 mg/kg		
Inhalation				
LC50	Rat	52 mg/l, 6 Hours		
Skin corrosion/irritation	Causes skin irritation.			
Serious eye damage/eye irritation	Causes serious eye irritation.			
Respiratory or skin sensitization	on			
Respiratory sensitization	Not a respiratory sensitizer.			
Skin sensitization	This product is not expected to ca	use skin sensitization.		
Germ cell mutagenicity	No data available to indicate prod mutagenic or genotoxic.	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	May cause cancer.			

IARC Monographs. Overall I	Evaluation of Carcinogenicit	у
methylene chloride (CAS 75-09-2)		2A Probably carcinogenic to humans.
OSHA Specifically Regulate	d Substances (29 CFR 1910.	1001-1052)
methylene chloride (CAS 75-09-2)		Cancer
US. National Toxicology Pro	ogram (NTP) Report on Carc	nogens
methylene chloride (CAS 75-09-2)		Reasonably Anticipated to be a Human Carcinogen.
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	May cause drowsiness and dizziness.	
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.	

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.			
Components		Test Results		
methylene chloride (CAS 75-	-09-2)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	1250 mg/l, 48 hours	
Fish	LC50	Fathead minnow (Pimephales promelas)	140.8 - 277.8 mg/l, 96 hours	
Persistence and degradability	No data is	No data is available on the degradability of any ingredients in the mixture.		
Bioaccumulative potential				
Partition coefficient n-octa methylene chloride	inol / water (le	og Kow) 1.25		
Mobility in soil	No data av	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideration	ons			
Disposal instructions	This material and its container must be disposed of as hazardous waste. Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Dispose in accordance with all applicable regulations.			
Hazardous waste code	F002: Waste methylene chloride - Spent halogenated solvent			
US RCRA Hazardous Wast	te U List: Ref	erence		
methylene chloride (CA	S 75-09-2)	U080		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is			

emptied. Empty containers should be taken to an approved waste handling site for recycling or

14. Transport information

DOT

DOT	
UN number	UN1950
UN proper shipping name	Aerosols, poison, Limited Quantity
Transport hazard class(es)	
Class	2.2
Subsidiary risk	6.1(PGIII)
Label(s)	2.2, 6.1
Packing group	Not applicable.
Special precautions for user	Forbidden from transportation by air.
Packaging exceptions	306
Packaging non bulk	None
Packaging bulk	None
ΙΑΤΑ	
UN number	UN1950

disposal.

UN proper shipping name	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III
Transport hazard class(es)	
Class	2.2
Subsidiary risk	6.1
Packing group	Not applicable.
ERG Code	2P
Special precautions for user	Not available.
Other information	
Passenger and cargo	Allowed with restrictions.
aircraft	
Cargo aircraft only	Allowed with restrictions.
IMDG	
UN number	UN1950
UN proper shipping name	AEROSOLS
Transport hazard class(es)	
Class	2.2
Subsidiary risk	6.1
Packing group	Not applicable.
Environmental hazards	
Marine pollutant	No.
EmS	Not available.
Special precautions for user	Not available.

DOT



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

TSCA Section 12(b) Export Notification (40 CF	R 707, Subpt. D)
methylene chloride (CAS 75-09-2)	0.1 % Annual Export Notification required.
SARA 304 Emergency release notification	
Not regulated.	
OSHA Specifically Regulated Substances (29 0	CFR 1910.1001-1052)
methylene chloride (CAS 75-09-2)	Cancer Heart

		Skin irritation		
Eye irritation US EPCRA (SARA Title III) Section 313 - Toxic Chemical: Listed substance				
methylene chloride (CAS 75-09-2) CERCLA Hazardous Substance List (40 CFR 302.4)				
methylene chloride (CAS 75-09-2) CERCLA Hazardous Substances: Reportable quantity				
methylene chloride	CAS 75-09-2)	1000 LBS		
Spills or releases resultir Response Center (800-4			Q require immediate notification g Committee.	to the National
Other federal regulations				
Clean Air Act (CAA) Section	n 112 Hazardous Air Po	ollutants (HAPs) List		
methylene chloride (CAS Clean Air Act (CAA) Section Not regulated.		ease Prevention (40 C	FR 68.130)	
Safe Drinking Water Act (SDWA)	Contains component(s) regulated under the S	Safe Drinking Water Act.	
Food and Drug Administration (FDA)	Not regulated.			
Superfund Amendments and Re	eauthorization Act of 1	986 (SARA)		
Classified hazard categories	Gas under pressure Acute toxicity (any rou Skin corrosion or irrita Serious eye damage of Carcinogenicity	tion	ted exposure)	
SARA 302 Extremely hazar				
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
methylene chloride		75-09-2	90 - 100	
US state regulations		.		
US. New Jersey Worker and		Know Act		
carbon dioxide (CAS 124 methylene chloride (CAS US. Massachusetts RTK - S	5 75-09-2)			
carbon dioxide (CAS 124 methylene chloride (CAS				
US. Pennsylvania Worker a		o-Know Law		
carbon dioxide (CAS 124-38-9) methylene chloride (CAS 75-09-2) US. Rhode Island RTK				
carbon dioxide (CAS 124-38-9) methylene chloride (CAS 75-09-2)				
California Proposition 65				
	ancer - www.P65Warning	gs.ca.gov		
California Proposition	65 - CRT: Listed date/C	arcinogenic substand	e	
methylene chloride (CAS 75-09-2) US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))				
methylene chloride ((CAS 75-09-2)			

Volatile organic compounds (VC EPA	DC) regulations	
VOC content (40 CFR 51.100(s))	0 %	
Aerosol coatings (40 CFR 59, Subpt. E)	Compliant	
State		
Aerosol coatings	This product is regulated as a Clear Coating. This product is not con California. This product is compliant in all other states.	npliant to be sold for use in
Maximum incremental reactivity (MIR)	0.07	
International Inventories		
Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date Prepared by Version #	06-26-2019 Allison Yoon 01
Disclaimer	The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. This information is accurate to the best of CRC's knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. For further clarification of any information contained on this (M)SDS consult your supervisor, a health & safety professional, or CRC Industries, Inc
Revision information	Hazard(s) identification: Response Transport Information: Material Transportation Information