



## Technician Grade Dielectric Grease with Precision Tip Applicator, .5 Wt Oz

No. 05109 | Item# 1003727 | Case# 1003726

Product Description A unique, non-curing compound used for sealing,

protecting & electrical insulating. Improves electrical performance by reducing arcing, voltage drop & other conditions. Also ideal for lubrication of plastic & rubber.

Applications Electrical connections, circuit breakers, contacts, spark

plug boots, trailer connectors, HEI distributor, battery terminals, contacts, lubrication of plastic, rubber parts &

o-rings

Unit Package Description 0.5 Ounce Tube

Brand CRC

Generic Description 1 Dielectric Grease

Net Fill 0.5 Wt Oz

UPC Code 078254051093

Unit Dimensions 7.88H x 2.75W x 1D in

Units Per Case 12

Case Dimensions 8.13H x 6W x 4D in

Cases Per Pallet 370
Case Weight 1 lbs

I 2 of 5 Code 30078254051094 Appearance Translucent White

Base Type Silicone
Flash point (F) 570°F
Flash point (C) 299°C
Flammability Class - CPSC None
Spec Gravity Concentrate 1.03
NLGI Grade 3

Timken OK Load Lbs. Not Determined

Plastic Safe Yes
Evaporation Rate Slow

Last revised: 1/16/2019

Page 1 of 2







Dielectric Strength 500 Volts/Mil

Working Temp (F) 570°F

Working Temp (C) 298.89°C

4 Ball EP Not Determined 4 Ball Wear Not Determined

**Drop Point** None

Leakage None Low Temp Torque Not Determined

Oil Separation Not Determined

Oxidation Stability Not Determined

-50°F Pour Point (F) Pour Point (C) -45.56°C

Water Washout 0.75

Worked Penetration 230 to 245

**Propellant** None

DOT Proper Shipping Name Not Regulated

VOC % (Consumer Product

def)

VOC g/L (Consumer  $\Omega$ 

Product def)

VOC lbs/gal (Consumer 0

Prod def)

**VOC Category** Not Regulated

Removal (How To) Remove with a degreaser.

Last revised: 1/16/2019

Page 2 of 2

