



POWERED BY SALSIFY

[Americas PDS Database](#) > [CRC Gasket Remover / Paint and Decal Remover](#)



CRC Gasket Remover / Paint and Decal Remover

ATTRIBUTES -

Item Number

1003266

Case Number

1003265

Legacy Number

03017

Product Description

Removes baked on fiber gaskets, gasket adhesives and sealants. Dissolves and aids removal of paints, lacquers, adhesives, and varnish. Contains no methylene chloride.

Applications

Motors, pumps, flanges, metal, and stone

Unit Package Description

16 Ounce Aerosol

Brand

CRC

Net Fill

12 Wt Oz

UPC Code

78254030173

Unit Dimensions

7.75H x 2.63W x 2.63D in

Units Per Case

12

Case Dimensions

8.1H x 8.3W x 11.1D in

Cases per pallet USA

133

Appearance

Light Grey Viscous Liquid

Base Type

Organic Solvents

Flash point (F)

56°F

Flash point (C)

13.3°C

Flammability Class - CPSC

Not a Consumer Product

Spec Gravity Concentrate

0.7419

Plastic Safe

No

Film Thickness

N/A

Evaporation Rate

Fast

Dielectric Strength

Not Determined

Timken Ok Load (lbs)

N/A

Propellant

Hydrocarbon

NSF Category Code

C3

NSF Number

017394

Aerosol Flammability Level

III

DOT Proper Shipping Name

Aerosols, Flammable, Limited Quantity

4 Ball EP

N/A

4 Ball Wear

N/A

Drop Point

N/A

pH

Not Determined

ISO Viscosity Grade

N/A

NLGI Grade

N/A

SAE Grade

N/A

Water Washout

N/A

Working Temp (F)

N/A

Working Temp (C)

N/A

VOC % (Consumer Product def)

47.5

VOC g/L (Consumer Product def)

371

VOC lbs/gal (Consumer Prod def)

3.1

VOC Category

Gasket Remover

Removal (How To)

Wipe or scrape off