# **Safety Data Sheet**

Issue Date: 21-May-2020 Revision Date: 01-Jun-2020 Version 1

# 1. IDENTIFICATION

Product identifier

**Product Name** Pipe Repair Cast 2 x 48 & 2 x 60 (38248, 38260)

Other means of identification

**SDS #** JBW-002

**Product Code** 38248, 38260

Recommended use of the chemical and restrictions on use

Recommended Use Repair.

## Details of the supplier of the safety data sheet

**Supplier Address** 

J-B Weld Company, LLC 400 CMH Road Sulphur Springs, TX 75482

Phone: 903-885-7696 www.jbweld.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Black solid Physical state Solid Odor Characteristic

Classification

Skin sensitization Category 1

# Signal Word Warning

## **Hazard statements**

May cause an allergic skin reaction



# **Precautionary Statements - Prevention**

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace Wear protective gloves

Revision Date: 01-Jun-2020

#### **Precautionary Statements - Response**

IF ON SKIN: Wash with plenty of water and soap
If skin irritation or rash occurs: Get medical advice/attention
Wash contaminated clothing before reuse

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Soda lime borosilicate glass	65997-17-3	<80
4,4- methylenediphenyl diisocyanate (MDI)	101-68-8	<10
Methylenediphenyl diisocyanate	26447-40-5	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST AID MEASURES

## **Description of first aid measures**

**General Advice** Get medical advice/attention if you feel unwell.

**Eye Contact** Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin

irritation or rash occurs: Get medical advice/attention.

**Inhalation** Remove victim to fresh air and keep at rest in a position comfortable for breathing. If

experiencing respiratory symptoms: Call Poison Control or doctor/physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

# Most important symptoms and effects, both acute and delayed

**Symptoms** Causes mild skin irritation. May cause an allergic skin reaction.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

# Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Not determined.

## Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**6. ACCIDENTAL RELEASE MEASURES** 

Revision Date: 01-Jun-2020

Personal precautions, protective equipment and emergency procedures

**Personal Precautions**Use personal protective equipment as required.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

**Methods for Containment** Prevent further leakage or spillage if safe to do so.

Methods for Clean-Up Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

Precautions for safe handling

Advice on Safe Handling Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing must not be

allowed out of the workplace. Wear protective gloves.

Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Exposure Guidelines**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Soda lime borosilicate glass	TWA: 1 fiber/cm3 respirable	-	-
65997-17-3	fibers: length >5 µm, aspect ratio		
	>=3:1, as determined by the		
	membrane filter method at 400-		
	450X magnification [4-mm		
	objective], using phase-contrast		
	illumination		
	TWA: 5 mg/m³ inhalable fraction		
4,4- methylenediphenyl diisocyanate (MDI)	TWA: 0.005 ppm	(vacated) Ceiling: 0.02 ppm	IDLH: 75 mg/m <sup>3</sup>
101-68-8		regulated under Methylene	Ceiling: 0.020 ppm 10 min
		bisphenyl isocyanate	Ceiling: 0.2 mg/m <sup>3</sup> 10 min
		(vacated) Ceiling: 0.2 mg/m <sup>3</sup>	TWA: 0.005 ppm
		regulated under Methylene	TWA: 0.05 mg/m <sup>3</sup>
		bisphenyl isocyanate	
		Ceiling: 0.02 ppm	
		Ceiling: 0.2 mg/m <sup>3</sup>	
Methylenediphenyl diisocyanate	-	Ceiling: 0.02 ppm	-
26447-40-5		Ceiling: 0.2 mg/m <sup>3</sup>	

## **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Refer to 29 CFR 1910.133 for eye and face protection regulations.

Revision Date: 01-Jun-2020

**Skin and Body Protection** Refer to 29 CFR 1910.138 for appropriate skin and body protection.

**Respiratory Protection** Refer to 29 CFR 1910.134 for respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical state Solid **Appearance** Black solid

Odor Characteristic Color Black **Odor Threshold** Not determined

Property Values Remarks • Method Not determined pН

Melting point / freezing point Not determined Boiling point / boiling range Not determined Flash point Not determined **Evaporation Rate** Not determined Flammability (Solid, Gas) Not determined

Flammability Limit in Air

Not determined Upper flammability or explosive

limits

Lower flammability or explosive Not determined

limits

**Vapor Pressure** Not determined **Vapor Density** Not determined **Relative Density** Not determined **Water Solubility** insoluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Autoignition temperature** Not determined **Decomposition temperature** Not determined Kinematic viscosity Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

# Reactivity\_

Not reactive under normal conditions.

## **Chemical stability**

Stable under recommended storage conditions.

# Possibility of hazardous reactions

None under normal processing.

## **Conditions to Avoid**

Keep out of reach of children.

#### Incompatible materials

None known based on information supplied.

#### Hazardous decomposition products

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

Revision Date: 01-Jun-2020

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Avoid contact with eyes.

**Skin Contact** Avoid contact with skin.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

## **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
4,4- methylenediphenyl diisocyanate (MDI)	= 31600 mg/kg(Rat)= 9200 mg/kg(Rat)	-	= 369 mg/m³(Rat)4 h
101-68-8			
Methylenediphenyl diisocyanate isomers (Polymeric MDI) 9016-87-9	= 49 g/kg (Rat)	> 9.4 g/kg (Rabbit)> 9400 mg/kg (Rabbit)	= 490 mg/m³(Rat)4 h
Oleic Acid 112-80-1	= 25 g/kg(Rat)	-	•
Black Iron Oxide 1317-61-9	> 10000 mg/kg (Rat)	-	•
Methylenediphenyl diisocyanate 26447-40-5	> 10000 mg/kg (Rat)	> 10000 mg/kg(Rabbit)	= 490 mg/m³(Rat)4 h
2,2-Dimorpholinodiethylether 6425-39-4	300 - 2000 mg/kg (Rat)	-	-

## Symptoms related to the physical, chemical and toxicological characteristics

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Causes mild skin irritation.

**Carcinogenicity** Group 3 IARC components are "not classifiable as human carcinogens".

Chemical name	ACGIH	IARC	NTP	OSHA
4,4- methylenediphenyl diisocyanate (MDI) 101-68-8		Group 3		
Methylenediphenyl diisocyanate isomers (Polymeric MDI) 9016-87-9		Group 3		
Methylenediphenyl diisocyanate 26447-40-5		Group 3		

Legend

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

# Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document .

 Oral LD50
 94,349.10 mg/kg

 Gas
 77,777.80 mg/L

 ATEmix (inhalation-dust/mist)
 12.25 mg/L

# 12. ECOLOGICAL INFORMATION

Revision Date: 01-Jun-2020

#### **Ecotoxicity**

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

# **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Oleic Acid		205: 96 h Pimephales promelas	
112-80-1		mg/L LC50 static	
Methylenediphenyl diisocyanate	3230: 96 h Skeletonema costatum		1000: 24 h Daphnia magna mg/L
26447-40-5	mg/L EC50		EC50
2,2-Dimorpholinodiethylether		2150: 96 h Danio rerio mg/L LC50	
6425-39-4		static	

#### Persistence/Degradability

Not determined.

## Bioaccumulation

There is no data for this product.

# **Mobility**

Chemical name	Partition coefficient
Methylenediphenyl diisocyanate	4.5
26447-40-5	

## **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances.

**DOT** Not regulated

IATA Not regulated

<u>IMDG</u> Not regulated

# 15. REGULATORY INFORMATION

Revision Date: 01-Jun-2020

# **International Inventories**

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Soda lime borosilicate glass	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Polymeric MDI	Х	ACTIVE	Х			Х	Х		Х
4,4- methylenediphenyl diisocyanate (MDI)	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Methylenediphenyl diisocyanate isomers (Polymeric MDI)	Х	ACTIVE	Х		Х	Х	Х	Х	Х
Oleic Acid	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Black Iron Oxide	Х	ACTIVE	Х	X	Х	Х	Х	X	Х
2,8,9-Triisobutyl-2,5,8,9- tetraaza-1- phosphabicyclo[3.3.3]undeca ne	X	ACTIVE							
Methylenediphenyl diisocyanate	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
2,2-Dimorpholinodiethylether	Х	ACTIVE	Х	X	Х	Х		Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

#### **CERCLA**

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
4,4- methylenediphenyl diisocyanate	5000 lb		RQ 5000 lb final RQ
(MDI)			RQ 2270 kg final RQ
101-68-8			_

## **SARA 313**

Chemical name	CAS No	Weight-%	SARA 313 - Threshold Values %
4,4- methylenediphenyl diisocyanate (MDI) - 101-68-8	101-68-8	<10	1.0
Methylenediphenyl diisocyanate isomers (Polymeric MDI) - 9016-87-9	9016-87-9	<5	1.0
Methylenediphenyl diisocyanate - 26447-40-5	26447-40-5	<1	1.0

## **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

# **US State Regulations**

# **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

Revision Date: 01-Jun-2020

## U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
4,4- methylenediphenyl diisocyanate (MDI) 101-68-8	X	X	Х
Methylenediphenyl diisocyanate isomers (Polymeric MDI) 9016-87-9	Х		
Oleic Acid 112-80-1			X
Methylenediphenyl diisocyanate 26447-40-5	X		

# **16. OTHER INFORMATION**

NFPA **Health Hazards Flammability** Instability **Special Hazards** Not determined Not determined Not determined Not determined **Personal Protection** HMIS **Health Hazards Flammability** Physical hazards Not determined Not determined Not determined Not determined

Issue Date:21-May-2020Revision Date:01-Jun-2020Revision Note:New format

# **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**