



NEVER SEEZ MARINER CH Revision Number 2.01 Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name

NEVER SEEZ MARINER CH

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uselubricant.Uses Advised AgainstNo information available

1.3. Details of the supplier of the safety data sheet

Responsible Party

Bostik Inc. 11320 W. Watertown Plank Road Wauwatosa, Wisconsin 53226 USA Phone: +1 (800) 843-0844 (Domestic Toll Free) Phone: +1 (414) 774-2250 (International) Fax: +1 (414) 774-8075

E-mail msds@bostik-us.com

1.4. Emergency telephone number

Telephone: 1-800-227-0332 (Outside U.S.) 1-703-527-3887

Section 2: HAZARD IDENTIFICATION

2.1. Classification of the substance or mixture

Skin sensitization

Category 1

2.2. Label Elements

EMERGENCY OVERVIEW

WARNING

Hazard statements May cause an allergic skin reaction



Appearance Paste

Physical State Solid

Odor Petroleum

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

Precautionary Statements - Prevention

Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing should not be allowed out of the workplace Wear protective gloves

Precautionary Statements - Response

Specific treatment (see first aid measures on this label) IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

Precautionary Statements - Storage

Not applicable

Precautionary Statements - Disposal Dispose of contents/container to an approved waste disposal plant

Hazards Not Otherwise Classified (HNOC)

Not applicable

Unknown acute toxicity

63% of the mixture consists of ingredient(s) of unknown toxicity

2.3. Other Information

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Mixture

3.2 Mixtures

| Chemical Name | CAS No | Weight-% |
|--|------------|----------|
| Graphite | 7782-42-5 | 10 - 30 |
| Calcium fluoride (CaF2) | 7789-75-5 | 10 - 30 |
| Sulfonic acids, petroleum, calcium salts | 61789-86-4 | 3 - 7 |
| Zinc oxide | 1314-13-2 | 1 - 5 |
| Aluminum | 7429-90-5 | 1 - 5 |
| Diboron calcium tetraoxide | 13701-64-9 | 1 - 5 |
| Benzenesulfonic acid, dodecyl-, calcium salt | 26264-06-2 | 1 - 5 |
| Carbonic acid, calcium salt (1:1) | 471-34-1 | 1 - 5 |

The exact percentage (concentration) of composition has been withheld as a trade secret.

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

| Eye contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician. |
|--------------|---|
| Skin Contact | Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Wash contaminated clothing before reuse. May cause sensitization by skin contact. In the case of skin irritation or allergic reactions see a physician. |
| Inhalation | Remove to fresh air. If symptoms persist, call a physician. |

Page 2/10

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

| Ingestion | Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. | | |
|------------------------------------|--|--|--|
| Self-Protection of the First Aider | Use personal protective equipment as required. | | |
| 4.2. Most important symptoms and | effects, both acute and delayed | | |
| Symptoms | No information available. | | |
| 4.3. Indication of any immediate m | edical attention and special treatment needed | | |
| Note to physicians | May cause sensitization of susceptible persons. | | |
| 4.4. Reference to Other Sections | | | |
| Reference to other sections | Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 11: TOXICOLOGY INFORMATION | | |

Section 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

CAUTION: Use of water spray when fighting fire may be inefficient.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising from the Chemical

In the event of fire and/or explosion do not breathe fumes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. May cause sensitization by skin contact.

Explosion Data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge None. None.

5.3. Advice for firefighters

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

| Personal Precautions | Use personal protective equipment as required. Avoid contact with eyes and skin. Keep |
|----------------------|---|
| | people away from and upwind of spill/leak. |

6.2. Environmental precautions

Environmental Precautions Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Prevent entry into waterways, sewers, basements or confined areas. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

| 6.3. Methods and material for conta | ainment and cleaning up |
|--------------------------------------|---|
| Methods for Containment | Prevent further leakage or spillage if safe to do so. |
| Methods for cleaning up | Use personal protective equipment as required. Dam up. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. |
| 6.4. Reference to other sections | |
| Reference to other sections | Section 7: HANDLING AND STORAGE Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION Section 13: DISPOSAL CONSIDERATIONS |
| Section 7: HANDLING AND S | STORAGE |
| 7.1. Precautions for safe handling | - |
| Advice on safe handling | Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Ensure adequate ventilation, especially in confined areas. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. |
| 7.2. Conditions for safe storage, in | cluding any incompatibilities |
| Storage Conditions | Keep out of the reach of children. Keep containers tightly closed in a cool, well-ventilated place. |
| Incompatible Materials | None known based on information supplied. |
| 7.3. Specific end use(s) | |
| Other Information | No information available. |
| 7.4. References to Other Sections | |

Reference to other sections Section 13: DISPOSAL CONSIDERATIONS Section 10: STABILITY AND REACTIVITY

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

.

8.1. Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | NIOSH IDLH | OSHA PEL | Mexico |
|-------------------------|---------------------------------------|------------------------------------|--------------------------------------|----------------------------|
| Graphite | TWA: 2 mg/m ³ respirable | IDLH: 1250 mg/m ³ | TWA: 15 mg/m ³ total dust | TWA: 2 mg/m ³ |
| 7782-42-5 | particulate matter all forms | TWA: 2.5 mg/m ³ natural | synthetic | |
| | except graphite fibers | respirable dust | TWA: 5 mg/m ³ respirable | |
| | | | fraction synthetic | |
| | | | TWA: 15 mppcf natural | |
| Calcium fluoride (CaF2) | TWA: 2.5 mg/m ³ F | IDLH: 250 mg/m ³ F | TWA: 2.5 mg/m ³ F | TWA: 2.5 mg/m ³ |
| 7789-75-5 | | | | |
| Zinc oxide | STEL: 10 mg/m ³ respirable | IDLH: 500 mg/m ³ | TWA: 5 mg/m ³ fume | TWA: 5 mg/m ³ |
| 1314-13-2 | particulate matter | Ceiling: 15 mg/m ³ dust | TWA: 15 mg/m ³ total dust | TWA: 10 mg/m ³ |
| | TWA: 2 mg/m ³ respirable | TWA: 5 mg/m ³ dust and | TWA: 5 mg/m ³ respirable | STEL: 10 mg/m ³ |
| | particulate matter | fume | fraction | |
| | | STEL: 10 mg/m ³ fume | | |

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

| Aluminum 7429-90-5 | TWA: 1 mg/m ³ respirable particulate matter | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust TWA: 5 mg/m ³ Al | TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction | TWA: 10 mg/m ³ TWA: 5 mg/m ³ |
|--|---|---|---|---|
| Diboron calcium tetraoxide 13701-64-9 | STEL: 6 mg/m ³ inhalable particulate matter TWA: 2 mg/m ³ inhalable particulate matter | - | - | - |
| Carbonic acid, calcium salt (1:1) | - | TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable | - | - |
| 471-34-1 | | dust | | |

| Chemical Name | Argentina | Brazil | Chile | Venezuela |
|--|---|--------|--|---|
| Graphite 7782-42-5 | TWA: 2 mg/m ³ | - | TWA: 1.6 mg/m ³ | TWA: 2 mg/m ³ |
| Calcium fluoride (CaF2) 7789-75-5 | TWA: 2.5 mg/m ³ | - | TWA: 2 mg/m ³ | - |
| Zinc oxide 1314-13-2 | TWA: 5 mg/m ³ TWA: 10 mg/m ³ STEL: 10 mg/m ³ | - | TWA: 4 mg/m ³ | STEL: 10 mg/m ³ TWA: 2 mg/m ³ TWA: 10 mg/m ³ |
| Aluminum 7429-90-5 | TWA: 10 mg/m ³ TWA: 5 mg/m ³ | - | TWA: 8 mg/m ³ TWA: 4 mg/m ³ | TWA: 10 mg/m ³ |
| Carbonic acid, calcium salt (1:1) 471-34-1 | _ | - | - | TWA: 10 mg/m ³ |

8.2. Exposure controls

| Engineering Controls | Showers Eyewash stations Ventilation systems. |
|------------------------------------|---|
| Personal protective equipment [PPI | |
| Eve/Face Protection | Tight sealing safety goggles. |
| Skin and Body Protection | Wear suitable chemical resistant gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality and various manufacturers. |
| Respiratory Protection | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. |
| General Hygiene Considerations | Use personal protective equipment as required. Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Avoid contact with eyes, skin and clothing. Wash hands thoroughly after handling. Wash contaminated clothing before reuse. Regular cleaning of equipment, work area and clothing is recommended. |

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

| and chemical properties | |
|---|--|
| Solid | |
| Paste | |
| Black | |
| Petroleum | |
| No information available | |
| <u>Values</u> No information available No information available No information available | <u>Remarks • Method</u> |
| | Paste Black Petroleum No information available <u>Values</u> No information available No information available |

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

| Flash Point | 246.1 °C / 475 °F | | |
|---------------------------|--|---|--------------------------|
| Evaporation Rate | No information available | | |
| Flammability (solid, gas) | No information available | | |
| Flammability Limit in Air | | | |
| Upper flammability limit: | No information available | | |
| Lower flammability limit: | No information available | | |
| Vapor Pressure | No information available | | |
| Vapor Density | No information available | | |
| Relative Density | No information available | Water Solubility Solubility in Other Solvents | No information available |
| | | Partition Coefficient | No information available |
| | | Autoignition Temperature | No information available |
| | | Decomposition Temperature | No information available |
| Kinematic Viscosity | No information available | | |
| Dynamic Viscosity | No information available | | |
| Explosive Properties | No information available | | |
| Oxidizing Properties | No information available | | |
| 9.2. Other information | | | |
| Softening Point | No information available | | |
| Molecular Weight | No information available | | |
| Solvent content (%) | No information available | | |
| Solid content (%) | 100 | | |
| Density | 1.35 g/cm ³ No information available | | |
| VOC | | | |

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Extremes of temperature and direct sunlight.

10.5. Incompatible materials

None known based on information supplied.

10.6. Hazardous decomposition products

None known based on information supplied.

30803832 NEVER SEEZ MARINER CH Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

Section 11: TOXICOLOGY INFORMATION

11.1. Information on toxicological effects

| Product Information | No data available |
|---------------------|--|
| Inhalation | No data available. |
| Eye contact | No data available. |
| Skin Contact | May cause sensitization by skin contact. |
| Ingestion | No data available. |

Component Information

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|------------------------------------|----------------------------------|------------------------------|-------------------------|
| Calcium fluoride (CaF2) | = 4250 mg/kg (Rat) | - | - |
| 7789-75-5 | | | |
| Sulfonic acids, petroleum, calcium | > 20 g/kg (Rat) | > 5000 mg/kg (Rabbit) | >1.9 mg/L (aerosol) |
| salts | | | |
| 61789-86-4 | | | |
| Zinc oxide | > 5000 mg/kg (Rat) | LD50 >2000 mg/Kg (Rat) (OECD | LC50 (4h) >5.7 mg/l |
| 1314-13-2 | | 402) | |
| Aluminum | LD50 >10,000 mg/Kg (Rat)(OECD | - | - |
| 7429-90-5 | Guideline 401) | | |
| Benzenesulfonic acid, dodecyl-, | 1086 - 1980 mg/kg (Rat) = 4 g/kg | - | - |
| calcium salt | (Rat) | | |
| 26264-06-2 | | | |
| Carbonic acid, calcium salt (1:1) | LD50 > 2000 mg/kg (Rat) OECD | LD50 >2000 mg/kg (Rat) OECD | LC50 (4h) >3mg/ml (Rat) |
| 471-34-1 | 420 | 402 | |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Symptoms Skin Corrosion/Irritation Serious Eye Damage/Eye Irritation Irritation Corrosivity Sensitization Germ Cell Mutagenicity Reproductive Toxicity Developmental Toxicity Teratogenicity STOT - Single Exposure STOT - Repeated Exposure Chronic Toxicity Target Organ Effects | No information available. No information available. No information available. No information available. No information available. May cause sensitization by skin contact. No information available. No information available. No information available. No information available. No information available. No information available. No information available. Repeated contact may cause allergic reactions in very susceptible persons. Avoid repeated exposure. Central Vascular System (CVS), Eyes, Respiratory system, Skin. |
|---|--|
| Aspiration hazard | No information available. |
| Carcinogenicity | This product does not contain any carcinogens or potential carcinogens as listed by ACGIH, OSHA, IARC or NTP at or above 0.1 wt%. |

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

| Chemical Name | Algae/aquatic plants | Fish | Toxicity to Microorganisms | Crustacea |
|---|---------------------------|--|-------------------------------|--|
| Sulfonic acids, petroleum, calcium salts 61789-86-4 | | LC50 96 h >10000 mg/L (Sheepshead minnow static) | | EC50 48 h >1000 mg/L (Daphnia magna) |
| Zinc oxide 1314-13-2 | LC 50 (72Hr) 0.136 mg/L | LC50 (96h) =0.7 mg/L Fish (Danio rerio) | | LC 50 (48Hr) =0.5 mg/l (Ceriodaphnia dubia) |
| Benzenesulfonic acid, dodecyl-, calcium salt 26264-06-2 | | LC50 96 h = 10.8 mg/L (Oncorhynchus mykiss static) | | |
| Carbonic acid, calcium salt (1:1) 471-34-1 | IC50 72H Algae >1000 mg/l | CL50 96H Fish >1000 mg/l | | EC50 48H Daphnia >1000 mg/l |

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

| Disposal of Wastes | It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations |
|--------------------|---|
| | |

Contaminated Packaging Dispose of in accordance with federal, state and local regulations

Section 14: TRANSPORTATION INFORMATION

| Note: | 49 CFR 171.4(c) "Exceptions. Except when all or part of the transportation is by vessel, the requirements of this subchapter specific to marine pollutants do not apply to non-bulk packagings transported by motor vehicle, rail car or aircraft." |
|---|---|
| DOT UN/ID No Proper Shipping Name Hazard Class Packing Group Reportable Quantity (RQ) Special Provisions Description Emergency Response Guide Number | UN3077 Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), Marine Pollutant 9 III (Benzenesulfonic acid, dodecyl-, calcium salt: RQ (kg)= 454.00) 146, 335, A112, B54, B120, IB8, IP3, N20, N91, T1, TP33, 8 UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), 9, III, Marine Pollutant 171 |

<u>IATA</u>

30803832 NEVER SEEZ MARINER CH

Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

| UN/ID No | UN3077 |
|----------------------------|---|
| Proper Shipping Name | Environmentally hazardous substance, solid, n.o.s. (Zinc oxide) |
| Transport hazard class(es) | 9 |
| Packing Group | |
| ERG Code | 9L |
| Special Provisions | A158, A179, A97, A197 |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), 9, III |
| IMDG | |
| UN Number | UN3077 |
| Proper Shipping Name | Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), Marine Pollutant |
| Transport hazard class(es) | 9 |
| Packing Group | 111 |
| EmS-No | F-A, S-F |
| Special Provisions | 274, 335, 966, 967, 969 |
| Description | UN3077, Environmentally hazardous substance, solid, n.o.s. (Zinc oxide), 9, III, Marine Pollutant |

Section 15: REGULATORY INFORMATION

Global Inventories

| TSCA | Listed |
|------|--------|
| DSL | Listed |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL - Canadian Domestic Substances List

Listed - The components of this product are either listed or exempt from listing on inventory.

Not Listed - One or more components of this product are not listed on inventory.

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR

WHMIS Hazard Class

D2B - Toxic materials

United States of America

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical Name | CAS No |
|---------------|-----------|
| Zinc oxide | 1314-13-2 |
| Aluminum | 7429-90-5 |

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----------|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |
| | Page 9/10 |

30803832 NEVER SEEZ MARINER CH Revision Date 05-Dec-2017 Supersedes Date: 22-Nov-2017 Revision Number 2.01

Europe

Restrictions of Use of Hazardous Substances (RoHS) Directive 2011/65/EU

This product does not contain Lead (7439-92-1), Cadmium (7440-43-9), Mercury (7439-97-6), Hexavalent chromium (7440-47-3), Polybrominated biphenyls (PBB), and Polybrominated diphenyl ethers (PBDE) above the regulated limit mentioned in this regulation.

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet No information available

Key Literature References and Sources for Data

No information available

| Prepared By | Product Safety & Regulatory Affairs |
|---------------------|-------------------------------------|
| Revision Date | 05-Dec-2017 |
| Revision Note | SDS sections updated, 14. |
| Training Advice | No information available |
| Further information | No information available |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet